

品名	マス目の大きさ(mm)		マス目の数	トレー外寸(mm)			入数 枚/ケース	材質	厚み	その他
	寸法(底)	深さ		縦	横	高さ				
A-12	48×127	20	6×2(12)	353	276	20	400	PP	0.30	
A-25	49×31	35	5×5(25)	298	218	35	400	APET	0.40	
A-50	35.8×44.8	25	10×5(50)	427	267	25	300	APET	0.35	
A-54	55φ	12	9×6(54)	537	358	12	100	APET	0.40	
A-100	17.5×13.5	17	10×10(100)	255	225	17	500		0.30	
B-20	148×18	20	2×10(20)	336	250	20	250	PS	0.35	
B-100	26×14	3	10×10(100)	320	197	8	500	APET	0.30	
B-120	18×12	3	12×10(120)	282	174	7	500	APET	0.30	
BA-10	165×43	18	2×5(10)	365	270	18	500	APET	0.30	
BA-12	47×120	25	6×2(12)	365	270	25	300	APET	0.30	
BA-20	27×127	12	10×2(20)	365	270	12	400	APET	0.30	
BC-10	40×83	28	5×2(10)	265	205	28	400	APET	0.30	
BE-12	74×70	20	4×3(12)	365	270	20	400	APET	0.30	
BE-12L	47×114	20	6×2(12)	365	270	20	400	APET	0.30	
BE-15	103×43	11	3×5(15)	365	270	11	500	APET	0.30	
BE-18	50×77	25	6×3(18)	365	270	25	300	APET	0.30	
BE-20S	51×55	15	6×4(24)	365	270	15	500	APET	0.30	
BE-24J	34×75	35	8×3(24)	370	273	35	400	APET	0.30	
BE-24J2	30×75	25	8×3(24)	365	273	25	500	APET	0.30	
BE-27	31×74	10	9×3(27)	365	270	10	400	APET	0.30	
BE-30	44×26	20	5×6(30)	267	210	20	400	APET	0.30	
BE-36	48×33	20	6×6(36)	365	270	20	400	APET	0.30	
BE-50	27×42	20	10×5(50)	365	270	20	500	APET	0.30	
C-10	28×163	28.5	10×1(10)	355	190	28.5	250	PS	0.40	
C-15L	82×82	71	3×5(15)	450	272	71	150	PP	1.00	積重防止
C-20	113×18	20	2×10(20)	254	254	20	250	APET	0.35	
C-25	49×47	13	5×5(25)	285	275	13	500	PP	0.40	
C-28	48×57	51	7×4(28)	444	270	51	200	PP	0.80	積重防止
C-50	19.5×34	10	10×5(50)	262	205	10	600	APET	0.30	
C-100	30×19	21	10×10(100)	348	252	21	400	PS	0.40	
C-100APET	30×19	21	10×10(100)	348	252	21	400	APET	0.40	
CP-15	73×98	23	5×3(15)	490	333	23	300	PP	0.40	積重防止
CP-50	15×30	12	10×5(50)	232	194	15	900	PP	0.40	積重防止
CP-60	93×19.4	21	4×15(60)	501	424	21	200	PP	0.40	積重防止
E-6	87φ	32	2×3(6)	213	305	32	500	APET	0.40	
E-8	115×115	23	4×2(8)	501	253	23	250	APET	0.40	
E-10	46×88	25	5×2(10)	262	200	25	500	APET	0.40	
E-15	40×56	32	5×3(15)	261	206	32	500	APET	0.40	
E-20L	99×44	36	4×5(20)	444	265.5	36	250	APET	0.40	
E-20S	67×64	16	5×4(20)	374	284	16	500	APET	0.30	
E-24	26×90	30	8×3(24)	267	290	30	400	APET	0.40	
E-25	37×34	30	5×5(25)	238	215	30	500	APET	0.40	
E-25(N)APET	37×34	30	5×5(25)	238	215	30	500	APET	0.40	ノンシリコン
E-28	60φ	15	7×4(28)	506	335	15	160	APET	0.30	
E-30	34×34	30	6×5(30)	259	215	30	500	APET	0.40	
E-32	30φ	17	52	276	276	17	500	APET	0.35	積重防止
E-33	79×15	16	3×11(33)	270	232	16	320	APET	0.50	
E-36	30×19	6	6×6(36)	265	205	6	800	PS	0.30	
E-39	16.5×68	16	13×3(39)	265	227	16	320	APET	0.50	
E-50	27×32	15	10×5(50)	355	205	15	400	PS	0.30	

品名	マス目の大きさ(mm)		マス目の数	トレー外寸(mm)			入数 枚/ケース	材質	厚み	その他
	寸法(底)	深さ		縦	横	高さ				
E-52	53φ	14	4×5(20)	276	276	14	500	APET	0.35	積重防止
新E-60	43×12	15	10×6(60)	295	170	15	500	APET	0.40	
E-63	27φ	15	9×7(63)	279	275	15	500	APET	0.35	積重防止
E-64	30×30	30	8×8(64)	288	288	30	150	PP	1.00	
E-70	40×40	42	10×7(70)	450	320	42	150	APET	0.40	
E-90	86φ	8	4×3(12)	380	285	8	500	APET	0.30	
E-100	22φ	10	10×10(100)	280	280	10	500	APET	0.30	
E-125	18φ	8	125	265	255	8	600	PS	0.30	積重防止
E-130	19×19	17	13×10(130)	337	262	17	400	APET	0.40	
E-176	14×17	16	16×11(176)	334	257	16	400	APET	0.40	
E-200	7φ	5	20×10(200)	250	130	10	500	APET	0.30	
ELL-20	62×59	50	5×4(20)	392	277	50	150	APET	0.60	積重防止
新ELL-20	62×59	50	5×4(20)	392	277	50	200	APET	0.60	積重防止
F-12	68φ	5	4×3(12)	309	262	5	700	PS	0.25	
F-15	42×66	5	5×3(15)	309	262	5	850	PS	0.30	
F-20	73×59	30	5×4(20)	425	280	30	300	APET	0.40	
F-24	36φ	4	6×4(24)	265	205	4	1000	PS	0.30	
新F-24	36φ	6	6×4(24)	265	205	6	1000	PS	0.30	
F-25	54×34	35	5×5(25)	317	208	35	500	APET	0.40	
F-38	38φ	10	50	405	285	10	400	APET	0.30	積重防止
F-40	40φ	12	50	420	285	12	400	APET	0.30	積重防止
F-50	29φ	20	50	300	300	20	500	APET	0.30	積重防止
F-50L	20×32.5	13	10×5(50)	260	205	13	500	APET	0.40	積重防止
F-60	17×35	12	15×4(60)	380	190	12	500	APET	0.40	
F-80	26.5×14	7	10×8(80)	282	244	7	500	APET	0.30	
F-100	19.5×15.5	6	10×10(100)	282	244	6	500	APET	0.30	
F-200	11φ	5	200	280	197	5	500	PS	0.30	積重防止
F-500	13φ	13	25×20(500)	410	303	13	150	APET	0.50	
FA-20	110×60	35	4×5(20)	500	346	35	100	PS	0.40	
FE-10	80×130	35	5×2(10)	470	303	35	200	PP	0.50	積重防止
FN-20	63×63	20	5×4(20)	348	282	20	500	PS	0.30	
FS-10	55×103	24	5×2(10)	320	223	24	350	PP	0.50	
FS-15	53.5×67.5	24	5×3(15)	320	223	24	350	PP	0.50	
FS-25	49.5×38.5	24	5×5(25)	317	222	24	350	PP	0.50	
FS-28	76×25	24	4×7(28)	330	220	24	350	PP	0.50	
FS-30	24×64	24	10×3(30)	327	218	24	300	PP	0.50	
FT-25	61×56	20	5×5(25)	380	350	20	250	PP	0.40	
FT-32	30φ	5	52	278	278	5	500	PS	0.30	積重防止
FT-50	25×36	17	10×5(50)	336	226	22	400	APET	0.40	積重防止
H-10	305×20	20	1×10(10)	342	265	20	450	APET	0.40	
H-20	12.5×160	15	20×1(20)	310	175	15	1000	APET	0.30	
H-30	38φ	26	6×5(30)	284	237	26	500	APET	0.30	
K-10	44×240	16	10×1(10)	542	257	16	300	PP	0.40	
K-15	変形 135×61(56)	40	5×3(15)	440	390	40	150	APET	0.40	積重防止
K-21	変形 127×62.5(56)	41	7×3(21)	446	400	41	150	APET	0.40	積重防止
K-40	50×60	23	8×5(40)	483	368	23	250	PP	0.40	
K-40APET	50×60	23	8×5(40)	483	368	23	200	APET	0.40	
K-50	28×38	15	10×5(50)	372	249	15	500	PS	0.40	積重防止

品名	マス目の大きさ(mm)		マス目の数	トレー外寸(mm)			入数 枚/ケース	材質	厚み	その他
	寸法(底)	深さ		縦	横	高さ				
K-56	59×32	29	7×8(56)	480	320	29	150	APET	0.50	
新K-56	59×30	34	7×8(56)	481	321	34	200	APET	0.40	積重防止
KP-12	58×161	23	6×2(12)	470	370	23	350	PP	0.40	積重防止
KP-15	134×46	22	3×5(15)	492	365	27	270	PP	0.40	積重防止
KP-18	145×50	20	3×6(18)	480	373	20	250	PP	0.40	積重防止
KP-24	110×53	22	4×6(24)	492	365	22	250	PP	0.40	
KP-30	75×42	13	6×5(30)	490	362	18	250	PP	0.40	積重防止
KP-36	44×80	12	9×4(36)	474	358	18	350	PP	0.40	
KP-40	116×24	30	4×10(40)	506	337.5	30	200	PP	0.40	
KP-45	89×29	20	5×9(45)	486	327	20	300	PP	0.40	
KP-50	87×23.5	24	5×10(50)	480	315	24	280	PP	0.40	
KP-60	74×26	21	6×10(60)	494	336	21	250	PP	0.40	
KS-6	φ 89	44.5	3×2(6)	296	223	44.5	180	APET	0.40	
KS-7	362×26	29	1×7(7)	401	241	29	250	APET	0.40	積重防止
KS-10	38×81	28	5×2(10)	254	210	28	600	APET	0.30	積重防止
KS-12	36φ	27	4×3(12)	296	223	27	400	APET	0.40	
KS-16	60×38	20	4×4(16)	278	194	20	500	APET	0.40	
KS-18	49×73	10	6×3(18)	412	292	17	200	APET	0.40	積重防止
KS-20	20φ	23	5×4(20)	297	225	23	280	APET	0.40	
KS-24	17×45	20	8×3(24)	215	169	20	600	APET	0.40	積重防止
KS-25	159×3.5	5	25×1(25)	186	136	5	1000	APET	0.30	
KS-36	36φ	23	6×6(36)	283	283	23	300	APET	0.35	積重防止
KS-45	48.3×15.5	16	5×9(45)	270	180	16	500	APET	0.30	
KS-48	68×32	30	6×8(48)	480	320	30	100	APET	0.50	
KS-50	31×34	18	10×5(50)	363	243	23	300	APET	0.40	
KS-70	30.5×27.5	27	10×7(70)	372	251.5	27	200	APET	0.50	積重防止
KS-72	27.3×15.5	16	9×8(72)	270	180	16	500	APET	0.30	
KS-90	49.7×9.7	13	15×6(90)	339	248	13	300	APET	0.40	
KS-200	10×13	6	20×10(200)	310	210	8	500	APET	0.40	積重防止
KSA-20	99×54	22	4×5(20)	460	325	22	150	APET	0.40	積重防止
KSC-15	91×91	30	5×3(15)	490	340	30	100	PP	0.50	積重防止
KSD-20	89×68	13	5×4(20)	510	325	18	100	APET	0.40	積重防止
KSD-30	35φ	20	6×5(30)	255	200	20	600	APET	0.30	
KSE-8	200×55	52	4×2(8)	440	270	52	100	APET	0.60	積重防止
KSF-16	66φ	27	4×4(16)	287	287	27	150	APET	0.40	
KSF-20	96×72	30	5×4(20)	535	330	30	70	APET	0.50	積重防止
KSF-36	41φ	18	6×6(36)	283	283	18	400	APET	0.30	
KSH-10	251×12	15	1×10(10)	270	190	15	400	APET	0.50	積重防止
KSH-20	50.5×160	23	10×2(20)	575	362	27	150	APET	0.40	積重防止
KSJ-10	42×295.7	13	10×1(10)	505	325	13	200	APET	0.40	積重防止
KSK-10	140×43	18	2×5(10)	300	270	18	400	APET	0.30	積重防止
KSK-50	26×45	12	10×5(50)	329	267	12	250	PS帯防	0.40	積重防止・ノンシリコン
KSM-9	153×134	74	3×3(9)	552	465	74	80	APET	0.60	
KSM-25	57×39	15	5×5(25)	352	272	20	350	APET	0.30	積重防止
KSO-12	148×79	20	3×4(12)	500	400	20	150	APET	0.40	積重防止
KSO-18	66.5×123.5	20	6×3(18)	500	400	20	150	APET	0.40	
KSO-30	36×21	13	5×6(30)	208	156	18	750	APET	0.40	積重防止
KSO-75	18.2×20.2	16	15×5(75)	410.8	166.8	26	200	APET	0.40	
KSS-6	130×135	40	3×2(6)	407	300	40	120	APET	0.50	
KSS-12	92φ(底)	20	4×3(12)	494	335	20	100	APET	0.50	積重防止

品名	マス目の大きさ(mm)		マス目の数	トレー外寸(mm)			入数 枚/ケース	材質	厚み	その他
	寸法(底)	深さ		縦	横	高さ				
KSS-18	30.4×110.4	25	9×2(18)	331	262	25	200	APET	0.40	
KSS-20	133×72	14	4×5(20)	580	465	19	100	APET	0.40	積重防止
KSS-50	56.7×15.7	13	5×10(50)	329	265	13	250	APET	0.40	積重防止
KSS-100	26.2×20.2	10	10×10(100)	329	265	10	250	APET	0.40	積重防止
KST-20	71×71	10	5×4(20)	410	308	13	200	APET	0.40	積重防止
KST-25	88×55	11	5×5(25)	530	333	16	140	APET	0.40	積重防止
KSY-10	25×150	15	10×1(10)	300	200	21	350	APET	0.40	積重防止
KSY-15	182×42	6	15	535	315	6	250	APET	0.30	積重防止
KSY-20	93×60	22	5×4(20)	535	315	22	200	APET	0.30	
KSY-20φ	52φ	22	5×4(20)	365	300	22	200	APET	0.40	積重防止
KSY-50	40×40	5	10×5(50)	535	315	10	200	APET	0.30	積重防止
L-4	230×180	35	2×2(4)	522	410	35	130	APET	0.60	積重防止
L-6	100×124	25	3×2(6)	387	324	30	250	APET	0.40	積重防止
L-9	109φ	20	3×3(9)	461	361	20	200	PS	0.40	積重防止
L-13	460×17	23	1×13(13)	494	330	23	250	APET	0.40	積重防止
L-20	変形 81×54	30	4×5(20)	400	310	30	180	APET	0.40	積重防止
L-30	74φ	26	6×5(30)	552	402	26	150	APET	0.35	積重防止
L-130	19×19	17	13×10(130)	372	275	23	300	APET	0.40	積重防止
LK-6	38×202	24	6×1(6)	275	226	24	400	APET	0.40	
LK-7	30×205	21.5	7×1(7)	275	226	21.5	400	APET	0.40	
LK-16	147×94	15	4×4(16)	625	420	20	150	APET	0.40	積重防止
LK-20	66×44	25	4×5(20)	317	265.5	30	500	APET	0.40	積重防止
M-20	43φ	23	5×4(20)	265	203	23	500	APET	0.40	
M-50	14×66	17	10×5(50)	400	225	17	300	PS	0.50	
M-60	29φ	17	10×6(60)	405	240	17	300	PS	0.50	
M-70	24.5×24	10	10×7(70)	324	234	15	300	PS	0.40	積重防止
M-100	14×66	17	20×5(100)	484	415	17	160	PS	0.50	
M-120	29φ	17	10×12(120)	485	415	17	170	PS	0.50	
MA-10	34×286	35	10×1(10)	492	334	36	80	PS	1.00	
MC-12	100×100	14	4×3(12)	491	352	18	180	PP	0.60	積重防止
MC-18	25×100	13	9×2(18)	280	245	16	300	PP	0.60	積重防止
ME-200	11φ	13	200	296	226	30	300	APET	0.50	
MH-48	35×34.5	28	8×6(48)	358	267	28	300	APET	0.40	
MK-12	127×30	25	2×6(12)	310	225	25	500	PP	0.30	
MK-24	138×14	10	2×12(24)	310	225	10	500	PP	0.30	
MK-26	120×15.3	12	2×12+2(26)	310	225	12	500	PP	0.30	
MK-29	90×20.5	17	3×9+2(29)	310	225	17	500	PP	0.30	
MK-44	51×24.5	21	5×8+4(44)	310	225	21	500	PP	0.30	
MK-50	44×56	5	10×5(50)	530	330	10	250	PS帯防	0.40	積重防止・ノンシリコン
ML-90	25.5×127	30	10×2(20)	356	281	30	300	APET	0.40	
新MM-50E	25×46	22	10×5(50)	331	262	22	250	APET	0.40	
MN-25	48×37	30	5×5(25)	300	230	35	300	PP	0.50	積重防止
MN-50	23×39	23	10×5(50)	302	230	23	300	PP	0.50	
MN-100	23×17.5	17	10×10(100)	304	232.7	20	300	PP	0.80	積重防止
MS-12	41×109	5	6×2(12)	306	230	10	500	PS	0.30	積重防止
MT-12	97×50	52	3×4(12)	365	262	52	300	APET	0.50	積重防止
MY-20	74×84	15	5×4(20)	438	396	18	170	APET	0.40	積重防止
N-10	17×176	19	10×1(10)	264	200	24	500	PS	0.40	積重防止
N-15	62φ	40	3×5(15)	275	275	40	220	APET	0.40	積重防止

品名	マス目の大きさ(mm)		マス目の数	トレー外寸(mm)			入数 枚/ケース	材質	厚み	その他
	寸法(底)	深さ		縦	横	高さ				
N-20	10×173	13	20×1(20)	343	183	13	500	APET	0.35	
N-25	7×187 ※天のサイズ	7	25×1(25)	260	210	7	600	APET	0.35	
N-40	45×10	10	4×10(40)	278	190	10	500	APET	0.30	
N-45	11×64	15	15×3(45)	284	232	15	500	APET	0.40	
N-50φ	19φ	10	10×5(50)	310	155	10	500	APET	0.30	
N-100	16×50	15	20×5(100)	410	312	15	150	APET	0.50	
O-10	16.6	17	10×1(10)	195	140	17	1600	APET	0.40	
O-13	82×136	30	13	500	400	30	200	APET	0.50	積重防止
O-20	55φ	27	5×4(20)	310	238	27	400	PP	0.50	積重防止
O-24	77×91	34	6×4(24)	500	400	34	100	APET	0.50	
O-33	34φ	28	6×5(30)	258	200	28	350	APET	0.60	
O-50	変形 66×24	37	5×10(50)	350	284	37	250	APET	0.50	
O-80	56×25	13	8×10(80)	520	320	13	300	PS	0.40	積重防止
O-100	16×15	10	10×10(100)	226	210	10	400	PP	0.40	
O-150	18.3×8.4	12	10×15(150)	230	185	12	600	PS	0.40	
O-300	7.6×8	5	30×10(300)	335	141	5	500	APET	0.40	積重防止
OE-10	47×89	25	5×2(10)	295	215	32	500	APET	0.40	積重防止
OH-35	33×44	29	7×5(35)	361	252	29	350	APET	0.40	積重防止
OH-36	41×26	25	6×6(36)	299	219	25	250	APET	0.40	
OH-100	9×12	4	10×10(100)	135	155	8	1000	APET	0.30	積重防止
OK-24	78×78	20	6×4(24)	500	400	20	150	APET	0.40	
OK-45	115×20	15	45	460	310	15	200	APET	0.40	積重防止
PS-55	47×31	9	7×8(56)	385	335	14.5	400	PS	0.40	積重防止
S-16	133×54	25	4×4(16)	590	250	28	200	PP	0.40	積重防止
S-20	60×38.5	19	4×5(20)	280	246.5	21	500	APET	0.40	積重防止
S-50	19φ	24	10×5(50)	340	165	28	500	PS	0.40	積重防止
S-150	4.5×32.5	3.5	30×5(150)	240	200	3.5	700	APET	0.40	
SI-200	11×11	18	15×12+20(200)	293	227	18	250	APET	0.40	積重防止
新SK-12	56×178	30	6×2(12)	430	393	30	200	PP	0.30	
SKS-12	160×80	30	3×4(12)	517	370	30	130	APET	0.40	積重防止
SO-20	10.1×142.4	15	20×1(20)	279.2	156.2	21	750	PP	0.40	積重防止
SO-30φ	31φ	10	8×5(40)	301	222	10	500	PP	0.40	積重防止
SO-40	31φ	20	8×5(40)	302	227	20	500	PP	0.40	積重防止
新T-3	変形 106×13	17	3×10(30)	363	247	17	350	APET	0.50	
T-6	83×91	51	3×2(6)	277	202	51	400	APET	0.40	
T-10	44×99	36	5×2(10)	264	220	36	500	APET	0.40	
T-12	139×70	25	3×4(12)	477	337	25	200	APET	0.40	
T-15	45×61	25	5×3(15)	262	207	25	500	APET	0.40	
T-25	43×29	34	5×5(25)	258	199	34	500	APET	0.40	
T-25(N)APET	43×29	34	5×5(25)	258	199	34	500	APET	0.40	ノンシリコン
T-25PP	43×29	34	5×5(25)	258	199	34	500	PP	0.40	
T-32	変形 41.8(26.8)×58.8	20.5	8×4(32)	323	263	20.5	400	APET	0.30	
T-40	変形 22×31	27	8×5(40)	252	200	27	600	APET	0.35	
T-50L	18×32	23	10×5(50)	253	198	23	500	APET	0.40	
T-50L(N)APET	18×32	23	10×5(50)	253	198	23	500	APET	0.40	ノンシリコン
T-50LPP	18×32	23	10×5(50)	253	198	23	500	PP	0.40	

品名	マス目の大きさ(mm)		マス目の数	トレイ外寸(mm)			入数 枚/ケース	材質	厚み	その他
	寸法(底)	深さ		縦	横	高さ				
T-50S	15×19.5	16	10×5(50)	210	130	16	800	APET	0.40	
T-60	20×28	10	10×6(60)	254	200	16	500	APET	0.35	積重防止
T-70	25×28.5	15	10×7(70)	297.5	233.5	15	500	APET	0.40	
T-80	26×15	15	8×10(80)	254.5	206	15	500	APET	0.40	
T-100	18×18	29	10×10(100)	256	256	29	500	APET	0.40	
U-21	43φ	18	21	346	285	18	200	PP帯防	0.50	積重防止
US-4	226×150	25	2×2(4)	483.5	325	25	70	APET	0.60	積重防止
US-14	61×145	35	7×2(14)	493	358	35	160	PP	0.60	積重防止
US-16	96×61	25	4×4(16)	435	278	25	150	PP	0.50	積重防止
US-18	52×82	18	6×3(18)	380	270	18	300	PP	0.50	積重防止
US-20	92.5×49	15	4×5(20)	405	269	19	180	APET	0.40	積重防止
US-30	92×52	22	5×6(30)	506	360	22	200	PP	0.40	積重防止
US-30S	43×34	9	6×5(30)	304	211	13	600	PP	0.40	積重防止
US-35	59×47	45	7×5(35)	548	325	45	90	APET	0.50	積重防止
US-60	9×52.5	7	20×3(60)	258	206.5	11	500	PP	0.40	積重防止
US-100	20×15	10	10×10(100)	257	207	10	400	APET	0.30	積重防止
USN-18B	45×64	9	6×3(18)	315	225	9	400	APET	0.30	積重防止
USN-24	44×44	9	6×4(24)	315	225	9	280	APET	0.30	積重防止
USN-30	43×33	9	6×5(30)	315	225	9	280	APET	0.30	積重防止
USN-36	43×29	10	6×6(36)	315	225	10	360	APET	0.30	積重防止
USO-16	91×66	42	4×4(16)	467	362	42	80	APET	0.50	積重防止
USO-20	50×21×H30	33	4×5(20)	304	198	33	140	APET	0.60	積重防止
USO-25	45.5×28.5	7	5×5(25)	255	174	7	300	APET	0.40	
USO-40	45×60	17	8×5(40)	447	372	17	100	APET	0.40	積重防止
USO-70	33×40	10	10×7(70)	447	371	10	100	APET	0.40	積重防止
USO-108	21×32×H15	18	12×9(108)	420	360	18	100	APET	0.40	積重防止
USO-200	7φ	8	20×10(200)	251	132	8	450	APET	0.30	
UST-20	44×50	13	5×4(20)	260	236	13	720	PS帯防	0.40	積重防止
W-30	22φ	15	6×5(30)	295	225	15	500	PS	0.30	
W-35	17φ	14	7×5(35)	295	225	14	500	PS	0.30	
W-88	23φ	11.5	11×8(88)	295	224.5	11.5	500	PS	0.30	
Y-12	47×47	32	4×3(12)	230	180	32	500	APET	0.40	
Y-35	10×236	15	35×1(35)	585	270	17	250	PS	0.50	
Y-100	20.9×15.9	15	10×10(100)	255	205	15	500	APET	0.30	
Y-100(N)APET	20.9×15.9	15	10×10(100)	255	205	15	500	APET	0.40	ノンシリコン
YS-70	25×28.5	15	10×7(70)	297.5	233.5	15	500	PS	0.40	
コンテナフタ大				545	450	30	200	APET	0.40	
コンテナフタ中				445	285	25	200	APET	0.40	
コンテナフタ小				375	286	15	200	APET	0.40	